



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/501,265

07/09/2004

Osamu Akiba

Q73735

7486

23373 7590 06/01/2012  
SUGHRUE MION, PLLC  
2100 PENNSYLVANIA AVENUE, N.W.  
SUITE 800  
WASHINGTON, DC 20037

EXAMINER

DAHIMENE, MAHMOUD

ART UNIT

PAPER NUMBER

1713

NOTIFICATION DATE

DELIVERY MODE

06/01/2012

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

USPTO@sughrue.com  
sughrue@sughrue.com  
PPROCESSING@SUGHRUE.COM

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/501,265	AKIBA ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	MAHMOUD DAHIMENE	1713	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 4/27/12.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on \_\_\_\_; the restriction requirement and election have been incorporated into this action.
- 4) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 5) ☒ Claim(s) 1 and 3-10 is/are pending in the application.
- 5a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 6) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 7) ☒ Claim(s) 1 and 3-10 is/are rejected.
- 8) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 9) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 10) ☐ The specification is objected to by the Examiner.
- 11) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 12) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____.                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date ____.  | 6) <input type="checkbox"/> Other: ____.                          |

## **DETAILED ACTION**

### ***Claim Rejections - 35 USC § 112***

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1, 3, 10 and all dependent claims are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear how the fibers are not wetted upon passing through the mist space because the presence of mist would wet to some degree even if only for a fraction of a time before such a mist is evaporated. The smallest fraction of time a liquid particle contacts a surface could be considered wetting. Applicants have not adequately explained what is encompassed by the phrase "not wetted" since any contact with the smallest liquid particle could be considered wetting the fiber, to a degree.

### ***Claim Rejections - 35 USC § 112***

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 1, 3, 10, are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to

Art Unit: 1713

which it pertains, or with which it is most nearly connected, to make and/or use the invention. The disclosure is not enabling for not wetting the fibers upon passing through the said mist. One of ordinary skill in the art would not be able to appraise the degree of wettability since applicants do not give any indication as to how to measure the degree of wettability or the degree of dryness of the fibers while they are in the mist.

Furthermore, the prior art would seem to indicate that the surface of the fibers would be wetted in applicants proposed process because the fibers are passing through a mist and could normally contact liquid particles thereby meeting the definition of being wetted. In addition the applicant is only making an assumption that the fibers are not wetted, since no proof, substantiated with a measurement, has been provided in the specification.

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

Art Unit: 1713

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1, 3-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Angadjivand et al. (US 6,375,886) in view of Morozov et al. (US 2002/0048770).

It is unclear how the fibers are not wetted upon passing through the mist space because the presence of mist would wet to some degree even if only for a fraction of a time before such a mist is evaporated. The smallest fraction of time a liquid particle contacts a surface could be considered wetting. Applicants have not adequately explained what is encompassed by the phrase "not wetted" since any contact with the smallest liquid particle could be considered wetting the fiber, to a degree.

Angadjivand discloses a method and apparatus for charging fibers that contain a nonconductive polymer. A polar liquid 32, 34 is sprayed onto free-fibers 24, and the free-fibers 24 are then collected to form an entangled nonwoven fibrous web 25 that may contain a portion of the polar liquid. The nonwoven web 25 is then dried 38. By applying an effective amount of polar liquid 32, 34 onto the nonconductive free-fibers 24 before forming the nonwoven web 25, followed by drying 38, the individual fibers 24 become charged. The method and apparatus enable the fibers 24 to be charged during web manufacture without subsequent processing (abstract). Angadjivand cites "The spraying mechanisms 28, 30 may be used separately or simultaneously from multiple sides. The spraying mechanisms 28, 30 may be used to spray a vapor of polar liquid such as steam, an atomized spray or mist of fine polar liquid droplets, or an intermittent

Art Unit: 1713

or continuous steady stream of a polar liquid. In general, the spraying step involves contacting the free fiber with the polar liquid by having the polar liquid supported by or directed through a gas phase in any of the forms just described. The spraying mechanisms 28, 30 may be located essentially anywhere between the die 20 and the collector 26. For example, in an alternate embodiment shown in FIG. 1, spraying mechanisms 28', 30' are located closer to the collector and even downstream to a source 36 that supplies staple fibers 37 to the web 25. (15) Spraying the free-fibers while they are in a molten state or in a semi-molten state has been found to maximize the imparted charge. The spraying mechanisms 28, 30 are preferably located as close to the stream of free-fibers 24 as possible (distances e and f are minimized), without interfering with the flow of free-fibers 24 to the collector 26. The distances e and f are preferably about 30.5 cm (one foot) or less, more preferably less than 15 cm (6 inches), laterally from the free fiber. The polar liquid may be sprayed perpendicular to the stream of free-fibers or at an acute angle, such as at an acute angle in the general direction of free-fiber movement" (column 7, line 40-65), "The polar liquid is sprayed on the fibers in quantities sufficient to constitute an "effective amount." That is, the polar liquid is contacted with the free-fibers in an amount sufficient to enable an electret to be produced using the process of the invention. Typically, the quantity of polar liquid used is so great that the web is wet when initially formed on the collector. It may be possible, however, for no water to be present on the collector if, for example, the distance between the origin of the free-fiber and the collector is so great that the polar liquid dries while on the free-fiber rather than while on the collected web" (column 8, line 12), "The

Art Unit: 1713

amount of polar liquid that is sprayed on the web may vary depending on the fiber production rates.”

The examiner understands that the applicant is claiming a process where the claimed article is not subjected to a drying step after passing through said mist space. However, the examiners interprets the reference of Angadjivand as suggesting such a feature where “that the polar liquid dries while on the free-fiber” which means that the fiber does not require an extrinsic drying step. In addition Angadjivand recognizes the need for “fine polar liquid droplets”.

Angadjivand recognizes that the amount of water (polar liquid droplets) is a result effective variable effective in controlling the fibers drying process, Angadjivand teaches “It may be possible, however, for no water to be present on the collector if, for example, the distance between the origin of the free-fiber and the collector is so great that the polar liquid dries while on the free-fiber rather than while on the collected web”, “The amount of polar liquid that is sprayed on the web may vary depending on the fiber production rates.”

Whyle Angadjivand teaches fast drying of the fiber before reaching the web destination, it is noted that Angadjivand does not expressly associate the droplet size with the dryness of the fiber, and Angadjivand does not expressly disclose the average diameter of the droplets is less than 20 microns.

Morozov discloses electro spraying solutions of substances for mass fabrication of chip and libraries. The reference of Morozov is not relied on to teach Electro spraying solutions of substances for mass fabrication of chips and libraries, but is only relied on to teach that in the art of spraying a liquid, droplets sizes ranging from 0.3 to 20 microns in diameters are conventionally obtained and known for their capability of obtaining a level where evaporation in the droplets stream becomes possible.

Morozov teaches

*“The method of electrospray is the electrostatic atomization of a liquid or a solution to obtain charged microdroplets, charged clusters and ions. The solution or liquid of the substance to be deposited is placed into a capillary (or array of capillaries), and the application of high voltage results in instability of the liquid or solution, which is then dispersed into small charged droplets 0.3-20 microns in diameter, and typically about 0.5-2 microns in diameter. Electrostatic repulsion rapidly moves these charged microdroplets from the capillary tip, and in their travel toward a substrate surface, the microdroplets evaporate if solvent vapor pressure is low enough, and the size of the droplets reach a Raleigh limit of electrostatic stability. Afterwards, the microdroplets undergo a series of decays, reducing their size to about 10-20 nm and increasing the electrostatic field to a level where evaporation of ionized solvated molecules becomes possible. On further travel through a dry gas, solvent is lost from these solvated ionized molecules. Where evaporation proceeds rapidly, all of the solute content of the microdroplets can be concentrated into small nanoclusters (FIG. 1)” (paragraphs 0005-0007)*

Morozov appears to suggest that the droplet size, especially when reaching the small size of 10 - 20 nm, is a result effective variable affecting the degree of vaporization of the liquid in the droplet.

Therefore, desiring an even faster drying rate than the one suggested by Angadjivand (column 8, line 12), it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Angadjivand by using the conventional electrospray method disclosed by Morozov because Morozov



Art Unit: 1713

teaches the advantages of the electrospray method in delivering microdroplets, reducing their size to about 10-20 nm and increasing the electrostatic field to a level where in stream evaporation becomes possible.

One of ordinary skill in the art would have been motivated to modify the process of Angadjivand by using the electrospray method in order to regulate the form of the deposit with the added flexibility of changing the travel path and speed of the sprayed material as well as the microdroplets evaporation capabilities, as suggested by Morozov, thereby, further enhancing the capability of adjusting the amount of water (polar liquid droplets) reaching the fiber which is recognized by Angadjivand as a result effective variable affecting the "production rates", it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art.

The result of the combined method of Angadjivand and Morozov would have resulted in fibers that are very rapidly dried which will appear to not have been wetted since the fine droplets of Morozov would have practically dried instantly, definitely before the fibers hit the substrate of Angadjivand

As to claim 3, it is noted Angadjivand does not expressly disclose the droplet versus fiber content, however, Angadjivand discloses "The polar liquid is sprayed on the fibers in quantities sufficient to constitute an "effective amount." That is, the polar liquid is contacted with the free-fibers in an amount sufficient to enable an electret to be produced using the process of the invention" As indicated above. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made

Art Unit: 1713

to spray the polar liquid on the fibers in quantities sufficient to constitute an "effective amount." That is, the polar liquid is contacted with the free-fibers in an amount sufficient to enable an electret to be produced using the process of the invention since Angadjivand teaches adjusting the liquid droplets content is necessary in order to obtain the desired results. Angadjivand recognizes that the amount of water (polar liquid droplets) is a result effective variable effective in controlling the fibers drying process, Angadjivand teaches "It may be possible, however, for no water to be present on the collector if, for example, the distance between the origin of the free-fiber and the collector is so great that the polar liquid dries while on the free-fiber rather than while on the collected web", "The amount of polar liquid that is sprayed on the web may vary depending on the fiber production rates."

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use any relative amount of droplets versus fiber content including the amount claimed by the applicant in claim 3 since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art.

As to claim 4, Angadjivand discloses Cooperating gas orifices 23--through which a gaseous stream, typically heated air, is forced at high velocity--are positioned proximate die orifice 22 to assist in drawing the fiber-forming material through the orifice 22 (column 6, line 40).

Art Unit: 1713

As to claim 5-6, Angadjivand discloses "nonconductive" means possessing a volume resistivity of about 10.sup.14 ohm.cm or greater at room temperature (column 4, line 40). Angadjivand discloses a volume resistivity range that overlaps applicant's claimed range. Overlapping ranges are held obvious.

As to claim 8, Angadjivand also discloses "Some other hindered amines are also known to increase the filtration-enhancing charge imparted to the web" (column 12, line 15)

As to claim 10, Angadjivand discloses the apparatus comprising (1) a means for melt-extruding a thermoplastic resin containing electrical-chargeability enhancing agents to form thermoplastic resin fibers; (2) a means for spraying droplets consisting essentially of a polar liquid to a space downstream of a direction of said thermoplastic resin extruded from said means for melt-extruding a thermoplastic resin, to thereby form a mist space, the average diameter of said droplets being less than 20 pm; and (3) a means for collecting said thermoplastic resin fibers which have been passed through said mist space.

### ***Response to Arguments***

1. Applicant's arguments filed 4/27/12 have been fully considered but they are not persuasive.
2. Regarding applicant's arguments about the rejections under 35 USC § 112 first and second paragraphs are not found persuasive because the applicant did not show that the fibers "are not wetted" and did not rule out the possibility that the fiber is wetted,

Art Unit: 1713

but dries very quickly (not requiring extrinsic drying) which is a possibility suggested by Angadjivand and Morozov. Angadjivand clearly recites “It may be possible, however, for no water to be present on the collector if, for example, the distance between the origin of the free-fiber and the collector is so great that the polar liquid dries while on the free-fiber rather than while on the collected web” (column 8, line 12). Applicant discloses “it is believed that the smaller droplets have a smaller surface tension, and thus, do not wet the thermoplastic resin fiber”, the belief is not substantiated by any evidence such as a measurement. The only fact presented is that the fiber does not need drying, but this does not mean the fiber is not wetted for at least a brief time. Angadjivand clearly suggests the possibility that the fiber is wetted but dries before reaching the collector substrate on which it is deposited, which in turn means that extrinsic drying is not required. The rejections under 35 USC § 112 first and second paragraphs are therefore maintained.

3. Regarding applicant’s arguments about the rejection under 35 USC § 103 they have been considered, but the examiner respectfully disagrees. Specifically, regarding applicant’s argument stating that hindsight reasoning is being used in combining Morozov to Angadjivand, the examiner, respectfully, disagrees because Angadjivand does suggest a case where “It may be possible, however, for no water to be present on the collector if, for example, the distance between the origin of the free-fiber and the collector is so great that the polar liquid dries while on the free-fiber rather than while on the collected web” (column 8, line 12). Since no water is present on the collector then the polar liquid dries while on the free fiber when the distance between the origin of the

Art Unit: 1713

fiber and the collector is large enough. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Angadjivand desiring to further shorten the distance between the origin of the fiber and the collector while keeping the dried fiber (at the collector) capability to look for ways to evaporate the droplets even faster, Morozov clearly proposes such a solution. The reasons for combining the two reference do not have to be disclosed by either references as long as the reasons for combining are obvious to one of ordinary skill in the art.

As to applicant arguments stating that the preferred and more preferred embodiments of Angadjivand result in a more wetted web, the argument has been considered, however, since Angadjivand teaches "The polar liquid is sprayed on the fibers in quantities sufficient to constitute an "effective amount." That is, the polar liquid is contacted with the free-fibers in an amount sufficient to enable an electret to be produced using the process of the invention" (column 8, line 12). It is possible to envisage either a fiber and/or a polar liquid where the effective amount of the liquid sprayed is not required to be in such a big quantity as the preferred embodiments, as long as the process is effective. Therefore, the reference of Angadjivand is not interpreted by the examiner as teaching against small quantities of liquid that would leave the web dry after spraying. The examiner agrees that Angadjivand might invite to conduct experiments to select the "effective amount" of liquid, however, such experiments do not require special skills that do not involve routine experimentation for

Art Unit: 1713

the skill in the art, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art.

### ***Conclusion***

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MAHMOUD DAHIMENE whose telephone number is (571)272-2410. The examiner can normally be reached on week days from 8:00 AM. to 5:00 PM..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on (571) 272-1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1713

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. D./  
Examiner, Art Unit 1713

/Nadine G Norton/  
Supervisory Patent Examiner, Art Unit 1713